
Concrete Reinforcing Bar

Deformed Bars

A.S.T.M. A 615 GR. 60 40

SIZE <i>In Inches</i>	WEIGHT/FT <i>(Pounds per Foot)</i>	<i>Nominal Dimensions</i>			STOCK LENGTHS <i>In Feet</i>
		DIAMETER <i>In Inches</i>	AREA <i>In Sq. Inches</i>	PERIMETER <i>In Inches</i>	
3	.3755	.375	.11	1.178	20
4	.6676	.500	.20	1.571	20
5	1.043	.625	.31	1.963	20
6	1.502	.750	.44	2.356	20, 40
7	2.045	.875	.6	2.749	40
8	2.670	1.000	.79	3.142	20, 40
9	3.400	1.128	1.00	3.544	40
10	4.303	1.270	1.27	3.990	40
11	5.313	1.410	1.56	4.430	40

.

■

-

-

-

-

-

-

-

-

-

.